



COSHH DATA SHEET

Pro-Cool

Total Pages: 4

Chem-Tel Emergency Response: 011 +1+813.248.0585
 P 0115 900 5858
 F 0115 929 4468

COSHH Safety Data Sheet #: Pro-Cool
 Catalogue #: PRO-COOL

SECTION 1. PRODUCT NAME

Pro-Cool Liquid Ice Machine Cleaner

SECTION 2. HAZARDOUS INGREDIENTS INFORMATION

INGREDIENT	CAS NO	OSHA PEL	ACIGH TLV	OTHER STEL	% OR RANGE
Water	7732-18-5				25-50
Sulfamic acid	5329-14-6		Not established		<10
Phosphoric acid	7664-38-2	1mg/m3	8hr airborne mist exposure limit		<75

SECTION 3. HAZARDS IDENTIFICATION

Route of entry: Inhalation: yes Skin: yes Eyes: yes Ingestion: yes

Health Hazards (acute and chronic): This material is corrosive to skin, eyes, and internal organs.

Signs and Symptoms of Exposure:

Eye Contact: Severe irritation and possible burns.

Skin Contact: Severe irritation and possible chemical burns. Symptoms may be delayed for up to 12 hours.

Inhalation: Mists may irritate respiratory system and cause difficulty breathing.

Ingestion: Solutions and mists are corrosive and toxic. May cause gastric distress, diarrhea, and vomiting. May be fatal if swallowed.

Medical conditions generally aggravated by exposure: Contact may aggravate pre-existing medical conditions such as dermatitis or asthma.

Carcinogenicity: NTP? No. IARC? No. OSHA? No.

SECTION 4. FIRST AID

Emergency and First Aid Procedures:

Eyes: Flush with water for 15 minutes. Lift the eyelids while flushing to make certain all areas of the eye and eyelid are flushed. Get medical attention as soon as first aid has been administered.

Skin: Remove contaminated clothing. Wash the affected area with soap and water. If irritation develops or persists, get medical attention. Decontaminate clothes and shoes before reuse.

Inhalation: Evacuate to a safe area with plenty of fresh air. Allow the affected individual to rest in a well ventilated area. Seek medical aid if breathing distress continues.

Ingestion: DO NOT induce vomiting. Drink 3-4 glasses of milk or water. Call the nearest poison control centre for medical advice.

SECTION 5. FIRE FIGHTING MEASURES

Not considered to be a fire hazard. Can react with certain metals, such as aluminium, to generate flammable hydrogen gas.

Explosion: May cause fire and explosions when in contact with incompatible materials.

Fire Extinguishing Media: Use any means suitable for extinguishing surrounding fire. Adding water to caustic solution generates large amounts of heat.

Special Information: In the event of a fire, wear full protective clothing and NIOSH-approved self contained breathing apparatus with full face piece operated in the pressure demand or other positive pressure mode.

Pro-Cool

SECTION 6. SPILL/ACCIDENTAL RELEASE MEASURES

Note: No cleanup should be attempted until cleanup personnel are equipped with personnel protective gear to prevent contact with product. (Applies to undiluted product.) Remove contaminated clothing immediately. Ventilate area of leak or spill. Keep unnecessary and unprotected people away from area of spill. Wear appropriate personal protective equipment as specified in Section 8.

Spills: Neutralize with sodium bicarbonate, soda ash, or lime. Pick up neutralized solution with a plastic pump or vacuum truck and store the neutralized solution in a leak-proof polyethylene container until product can be disposed of in a hazardous waste facility. Flush area twice with water to remove any remaining residues. Store wash solution in polyethylene containers for disposal. Do not use aluminium tools to collect absorbed material or aluminium containers to store collected wastes. US Regulations (CERCLA) require reporting spills and releases to soil, water and air in excess of reportable quantities. The toll free number for the US Coast Guard National Response Centre is (800) 424-8802.

SECTION 7. HANDLING AND STORAGE

Keep containers closed when not in use. Practice good housekeeping. Wash hands after handling. Avoid smoking when using this product. Wash clothing that has become contaminated. Keep out of reach of children. Read the disposal information before disposing of leaking or empty containers. Avoid breathing mists or spray. Avoid contact with eyes. Use only with adequate ventilation. Do not use metal measuring containers for handling this product. Make sure all safety equipment is available and protective clothing is in use before handling this product. Do not store with aluminium or magnesium containers. Do not mix with acids or organic materials. Keep this and all chemicals out of the reach of children. Wash thoroughly after handling.

SECTION 8. EXPOSURE CONTROLS /PERSONAL PROTECTION

Airborne Exposure Limits:

- OSHA Permissible Exposure Limit (PEL): 1 mg/m³ (phosphoric acid mist in air)

Ventilation System: A system of local and/or general exhaust is recommended to keep employee exposures below the Airborne Exposure Limits. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area. Please refer to the ACGIH document, Industrial Ventilation, A Manual of Recommended Practices, most recent edition, for details.

Personal Respirators (NIOSH Approved): If the exposure limit is exceeded and engineering controls are not feasible, a half face piece particulate respirator (NIOSH type N95 or better filters or European Standard EN 149 respirators) may be worn for up to ten times the exposure limit or the maximum use concentration specified by the appropriate regulatory agency or respirator supplier, whichever is lowest. A full-face piece particulate respirator (NIOSH type N100 filters) may be worn up to 50 times the exposure limit, or the maximum use concentration specified by the appropriate regulatory agency, or respirator supplier, whichever is lowest. If oil particles (e.g. lubricants, cutting fluids, glycerin, etc.) are present, use a NIOSH type R or P filter with acid-gas cartridge filter. For emergencies or instances where the exposure levels are not known, use a full-face piece positive-pressure, air-supplied respirator. **WARNING:** Air-purifying respirators do not protect workers in oxygen-deficient atmospheres.

Skin Protection: Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.

Eye Protection: Use chemical safety goggles and/or a full face shield where splashing is possible. Maintain eye wash fountain and quick-drench facilities or a source of running water in the work area.

Work Hygienic Practices: Use proper industrial hygiene practices to minimize hazardous exposure. Wash hands after handling this material, and before eating or smoking.

SECTION 9. PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: >212° F

Vapour pressure (mm Hg): Same as water

Vapour Density (Air = 1): Same as water

Solubility in water: Water miscible

Appearance and odour: Clear slightly amber liquid; slight astringent odour.

Specific gravity (H₂O = 1): 1.095

Melting Point (Pour Point): <32° F

Evaporation Rate (Water = 1): >1

SECTION 10. STABILITY AND REACTIVITY DATA

Stability: Stable under ordinary conditions of use and storage.

Compatibility: (Materials to avoid): Metal containers, strong oxidizers, strong alkalis

Hazardous Decomposition or Byproducts: Hydrogen gas, SO₂

Hazardous Polymerization: Will not occur.

Incompatibilities: Do not mix this product with alkalis or any other material.

Conditions to Avoid: Heat, incompatibles.

SECTION 11. TOXICOLOGY INFORMATION

RTECS# Not applicable CAS# 7664-38-2 (Phosphoric acid)

ORAL (LD50): Acute: 1530 mg/kg [Rat].

DERMAL (LD50): Acute: 2740 mg/kg [Rabbit].

DUST (LC50): Acute: >850 mg/m³ 1 hours [Rat].

1) Phosphoric Acid

7664-38-2 1 3 75

CARCINOGENIC EFFECTS: Not available.

MUTAGENIC EFFECTS: Not available.

TERATOGENIC EFFECTS: Not available.

DEVELOPMENTAL TOXICITY: Not available.

The substance may be toxic to blood, liver, skin, eyes, bone marrow. Repeated or prolonged exposure to the substance can produce target organs damage. Repeated or prolonged contact with spray mist may produce chronic eye irritation and severe skin irritation. Repeated or prolonged exposure to spray mist may produce respiratory tract irritation leading to frequent attacks of bronchial infection. Repeated exposure to a highly toxic material may produce general deterioration of health by an accumulation in one or many human organs

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity: Not available

BOD and COD: Not available

Biodegradation Products: Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

Toxicity of Biodegradation Products: The products of degradation are less toxic than the product itself.

Pro-Cool

SECTION 13. DISPOSAL CONSIDERATIONS

Treat empty containers as hazardous. Dispose of spill-clean up and other wastes in accordance with Federal, State, and local regulations. Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste facility. Although not a listed RCRA hazardous waste, this material may exhibit one or more characteristics of a hazardous waste and require appropriate analysis to determine specific disposal requirements. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.

SECTION 14. TRANSPORTATION INFORMATION

US DOT: ORM-D (Consumer Commodity
International (Water, I.M.O.)
Proper Shipping Name: Corrosive liquid, basic inorganic, n.o.s. (contains phosphoric and sulfamic acids)
Hazard Class: 8
UN/NA: UN3264
Packing Group: III (Limited Quantity)

SECTION 15. REGULATORY INFORMATION

EC # 015-011-00-(Phosphoric acid)
Labelling –
-Risk phrases:
R34: Causes burns.
Safety phrases
S1/2: Keep locked up. Keep out of reach of children
S24/25: Avoid contact with skin and eyes
S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S 45: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

US EPA

Comprehensive Environmental Response Compensation and Liability Act of 1980 (CERCLA) requires notification of the National Response Centre of release quantities of Hazardous Substances is not required for this material.
Superfund Amendments and Reauthorization Act of 1986 (SARA) Title III requires emergency planning based on threshold planning quantities and release reporting based on reportable quantities in 40 CFR 355 (used for SARA 302, 304, 311, and 312) is not required for quantities below 250 pounds.
Superfund Amendments and Reauthorization Act of 1986 (SARA) Title III requires submission of annual reports of release of toxic chemicals that appear in 40 CFR 372 (for SARA 313). This material is not subject to reporting requirements.
Toxic Substances Control Act (TSCA) Status: The ingredients of this product are on the TSCA inventory.

State Right to Know

California Proposition 65:
California Proposition 65:
Massachusetts: Hazardous substances and extraordinarily hazardous substances must be identified.
Pennsylvania: Hazardous substances must be identified.
California SCAQMD Rule 443.1 (VOC's)

Chemical Inventory Status

Ingredient	TSCA	EC	Japan	Australia	Korea	DSL	NDSL	Phil.
Phosphoric acid	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes

Federal, State & International Regulations

Ingredient	SARA 302 RQ TPQ	SARA 313	TSCA	RCRA
Phosphoric acid (1310-58-3)	No No	No	No	No

SARA 311/312: Acute: Yes Chronic: Yes Fire: No Pressure: No Reactivity: Yes (Mixture / Liquid)

WHMIS: This MSDS has been prepared according to the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by the CPR.

SECTION 16. OTHER INFORMATION

NFPA Ratings: Health: 3 Flammability: 0 Reactivity: 1

Label Hazard Warning:

CORROSIVE POISON! Contains Phosphoric acid, Sulfamic acid. May be fatal if swallowed. Harmful if inhaled. Causes burns to skin and eyes.

Label Precautions:

Do not use this product without skin and eye protection.
Do not use this product until you have read all warning statements on bottle and consulted the Safety Data Sheet
Do not use this product unless a source of running water is available.
Keep container closed.
Wash thoroughly after use.

Label First Aid: If swallowed, DO NOT INDUCE VOMITING. Immediately drink 3-4 glasses of water followed by a large glass of citrus juice. Call a physician immediately. Eyes: flush eyes with running water for at least 15 minutes while lifting lids to rinse the area behind the eyelids. Skin: flush affected area with running water for at least 15 minutes or until skin no longer feels slick while removing contaminated clothing and shoes. Wash clothing before reuse. If inhaled, remove to fresh air. If not breathing give artificial respiration. If breathing does not return to normal within a few minutes, get medical attention.

Product Use: Ice machine descaler

SECTION 17. ADDITIONAL INFORMATION:

This information is provided in accordance with the requirements of the UK Health and Safety at Work Act 1974, and specifically in order to assist users of the product to make their 'assessment of health risks' as required by the UK Control of Substances Hazardous to Health Regulation 1988 (COSHH assessments). Provision of this information does not preclude users from seeking advice from other sources as indicated in the COSHH guides. This information is intended to cover potential hazards at the place of work and does not detail medical uses, indications, contra-indications and precautions for the treatment of patients.

Pro-Cool

SECTION 18. MANUFACTURER:

Specialty Chemical Manufacturing
A DiversiTech Company
1633-B High Bridge Road
Quincy, FL 32351

Phone: 0115 900 5858

EMERGENCY Phone No.: Chem-Tel Emergency Response: +1 813 248 0585

SECTION 19. REFERENCE NUMBER:

Date of Issue: 28/02/2006

COSHH Safety Data Sheet: PRO-COOL

Revision Date: 19/05/2009

This information is, to the best of our knowledge and belief, accurate and reliable as of the date completed. However no representation, warranty or guarantee is made as to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the completeness and suitability of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information, nor do we offer any warranty against patent infringement.